



KIT REI CM + REI SM

SELF-CLOSING SYSTEM

FOR PREMIUM FLUSH-TO-WALL DOORS

JUST INSTALL AND FORGET.

A STYLISH, HIDDEN SOLUTION FOR SELF-CLOSING COMMERCIAL DOORS

The **OLMI REI CM / REI SM set**, composed of one hinge with an integrated self-closing mechanism and one hinge without mechanism, is a **fully concealed solution** developed to meet the growing market demand for high-performance, design-focused systems.

OLMI REI integrates perfectly into fire doors, wooden and metal hotel doors, and flush-to-wall security doors, interior and exterior doors in public and private buildings, with no architectural barriers, allowing the surrounding environment to take the stage.



**JUST
INSTALL
AND
FORGET.**

ONE PRODUCT, MANY OPPORTUNITIES.

OLMI REI CM / REI SM

HINGE AND DOOR CLOSER IN A SINGLE SOLUTION


- Maximum door weight: 100 kgs
- Door width: 1200 mm max.
- Minimum door thickness: 40 mm min.
- Maximum opening angle: approx 125°
- Self-closing mechanism with adjustable speed
- Final snap-close action from 12°
- Tested according to the EN 1634-1 standard for fire resistance testing
- Corrosion resistance class 4 tested
- Made in Italy
- A special drill jig for the installation of the product allows greater accuracy for housing the hinge REI CM on different door models



REI CM




REI SM



Olmi REI SM product classification based on ETA-17/0576, March 2018

Category of use	4	Safety	1
Durability	7	Corrosion resistance	4
Test door mass	5	Security	1
Fire resistance	1	Hinge grade	12



CAUTION: A floor-mounted DOOR STOP is recommended to prevent a door opening beyond 125°. Forcing a door beyond a 125° opening may damage closer and void warranty.

JUST INSTALL AND FORGET.

ONE PRODUCT, MANY OPPORTUNITIES.

Robust mounting system

Aluminum, screw-on mounting brackets

Covers with screws included

Powerful and hidden mechanism

- Hydraulics are concealed internally
- Quiet, controlled closure
- Tamper-resistant, compact design

7 adjustment options

- Self-closing speed and force
- Final snap-close action
- Horizontal, vertical adjustment
- Depth and Inclination adjustment

OL.MI®

OL.MI Srl

+39 045 6450621 / info@olmisrl.com

Via dell'industria, 15 - Castelnuovo del Garda VR

www.olmisrl.com

